



Morinaga Institute of Biological Science, Inc.

SACHIURA 2-1-16, KANAZAWA-KU,
YOKOHAMA, 2360003, JAPAN
TEL: +81-45-791-7674
E-mail: info_miobs_e@morinaga.co.jp

January 28, 2022

Quality Control Report

Morinaga Institute of Biological Science, Inc.

Quality Assurance Department

Manager:

Product:

Product name	Batch number	Expiration date
Peanut ELISA Kit II	22JASFPE063	JAN.27 2023

The product kit, batch 22JASFPE063, passed the quality control.

(1) Absorbance of the standard curve

(Assay date : January 28, 2022)

STD (ng/mL)	1	2	3	4	Ave.	CV (%)
0	0.008	0.008	0.009	0.007	0.008	
0.78	0.046	0.046	0.046	0.044	0.046	2.2
1.56	0.084	0.080	0.080	0.078	0.081	3.1
3.13	0.157	0.152	0.152	0.151	0.153	1.8
6.25	0.295	0.287	0.286	0.279	0.287	2.3
12.5	0.565	0.554	0.569	0.535	0.556	2.7
25	1.091	1.065	1.054	1.033	1.061	2.3
50	1.951	1.943	1.899	1.846	1.910	2.5

(2) Results of the Test materials

Positive Control	Protein content(μg/g)	Standard value
A	5.7	4.5-8.4
B	6.1	5.7-10.6
C	3.6	2.7-5.1