



## Morinaga Institute of Biological Science, Inc.

SACHIURA 2-1-16, KANAZAWA-KU,

YOKOHAMA, 2360003, JAPAN

TEL:+81-45-791-7674

E-mail: info\_miobs\_e@morinaga.co.jp

July 11, 2022

# Quality Control Report

Morinaga Institute of Biological Science, Inc.

Quality Assurance Department

Manager:

*M. Morita*

### Product:

Product name	Batch number	Expiration date
Buckwheat ELISA Kit II	22JLSFBW069	JUL.08 2023

The product kit, batch 22JLSFBW069, passed the quality control.

### (1) Absorbance of the standard curve

(Assay date : July 11, 2022)

STD (ng/mL)	1	2	3	4	Ave.	CV (%)
0	0.008	0.008	0.008	0.008	0.008	
0.78	0.045	0.044	0.045	0.045	0.045	1.1
1.56	0.082	0.079	0.082	0.080	0.081	1.9
3.13	0.149	0.147	0.149	0.148	0.148	0.6
6.25	0.290	0.284	0.286	0.283	0.286	1.1
12.5	0.557	0.552	0.559	0.542	0.553	1.4
25	1.068	1.037	1.059	1.029	1.048	1.7
50	1.977	1.974	1.993	1.954	1.975	0.8

### (2) Results of the Test materials

Positive Control	Protein content(μg/g)	Standard value
A	15.8	11.3-21.0
B	12.7	11.1-20.6
C	7.3	5.7-10.6