

according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

CheckLite AT100

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

The product is intended for research, analysis and scientific education.

Uses advised against

none/none

Details of the supplier of the safety data sheet

Company name: HyServe GmbH & Co. KG Street: Hechenrainer Straße 24

Place: D-82449 Uffing

Telephone: 0049-8846-1344 Telefax: 0049-8846-1342

e-mail: info@hyserve.com
Contact person: Dr. Stephan Speidel
Internet: www.hyserve.com

Responsible Department: Dr. Timo Gans-Eichler e-mail: tge-consult@t-online.de

Chemieberatung Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

48149 Münster

Emergency telephone: 0049-8846-1344 Mo-Fr (9:00-17:00)

SECTION 2: Hazards identification

Classification of the substance or mixture

This mixture is not classified as dangerous according to Directive 1999/45/EC.

GHS classification

This mixture is not classified as dangerous according to Regulation (EC) No. 1272/2008.

Label elements

SECTION 3: Composition/information on ingredients

Mixtures

Chemical characterization

Reagent mixture (Kit), liquid and lyophilised powder.

product 1: Luciferin-luciferase reagent HS: 2Lyophilised powder x 5 vials

product 2: Reconstitution buffer for Luciferin-luciferase reagent: 2x vials (5,5 ml)

product 3: ATP eliminating reagent: 2Lyophilised powder x 5 vials

product 4: Reconstitution buffer for ATP eliminating reagent: 2x vials (5,5 ml)

product 5: Sample dilution buffer: 4x bottle (25 ml)

product 6: ATP releasing reagent: 2x bottle (5,5 ml)

product 7: Sample treating reagent: 2x bottle (5,5 ml)



according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 2 of 8

Hazardous components

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
224-632-3	2-(4-Morpholino)ethanesulfonic acid (P3-5: product 3-5)	< 0,5 %
145224-94-8	Xn, Xi R22-36/37/38	
	Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2; H302 H319 H335 H315	
248-531-9	1,4-dimercaptobutane-2,3-diol (P1: product 1)	< 0,1 %
27565-41-9	Xn, Xi R22-38-41	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318	
205-358-3	Disodium edetate dihydrate (P2-5: product 2-5)	< 0,1 %
6381-92-6	Xi R36/37/38	
	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2; H319 H335 H315	
269-919-4	Alkyldimethylbenzylammoniumchloride (P6: product 6)	< 0,1 %
68391-01-5	C, Xn, N R21/22-34-50	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, Aquatic Acute 1; H302 H312 H314 H400	

Full text of R- and H-phrases: see section 16.

Further Information

Full text of R- and H-phrases: see section 16.

SECTION 4: First aid measures

Description of first aid measures

General information

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

After inhalation

No special measures are necessary.

After contact with skin

After contact with skin, wash immediately with: Water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be swallowed in little sips (dilution effect). In all cases of doubt, or when symptoms persist, seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

The product itself is not combustible. Extinguishing materials should be selected according to the surrounding area.



according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 3 of 8

Extinguishing media which must not be used for safety reasons

none/none

Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Wear a self-contained breathing apparatus and chemical resistant suit.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. (Refer to chapter 8.)

Environmental precautions

Dumping into the environment must be prevented.

Methods and material for containment and cleaning up

liquid:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). solid:

Collect mechanically.

Treat the assimilated material according to the section on waste disposal.

Clear contaminated area thoroughly.

Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (Refer to chapter 8.)

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep/Store only in original container. Protect against: UV-radiation/sunlight. heat. cooling. moisture. Recommended storage temperature: 2-8°C

SECTION 8: Exposure controls/personal protection

Control parameters

Additional advice on limit values

To date, no national limit values exist.

Exposure controls

Occupational exposure controls

refer to chapter 7. No further action is necessary.



according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 4 of 8

Protective and hygiene measures

Always close containers tightly after the removal of product.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Hand protection: Single-use gloves.

Eye protection

Suitable eye protection: Tightly sealed safety glasses. DIN EN 166

Skin protection

Suitable protection of the body: Lab apron.

Environmental exposure controls

This material and its container must be disposed of in a safe way.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state: P1,3: solid; P2,4-5: liquid Colour: P1,3: off-white; P2,4-5: clear

Odour: odourless

Test method

pH-Value: (P2) = 7.5; (P4-5) = 6; (P6) = 12; P(7) = 7.6

Changes in the physical state

Melting point: not determined
Boiling point: not determined
Flash point: not determined

Explosive properties

none/none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Oxidizing properties

none/none

Vapour pressure: not determined
Density: not determined
Water solubility: easily soluble.
Viscosity / dynamic: not determined

SECTION 10: Stability and reactivity

Chemical stability

Stable under normal storage and handling conditions.

Possibility of hazardous reactions

No information available.

Conditions to avoid

Keep away from heat. Decomposition possible after prolonged exposure to light.

Incompatible materials

Materials to avoid: Oxidizing agents, strong.

GB - EN Revision date: 18.01.2012



according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 5 of 8

Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

CAS No.	Chemical name					
	Exposure routes	Method	Dose	Species	h	Source
145224-94-8	2-(4-Morpholino)ethanesulfonic acid (P3-5: product 3-5)					
	Acute oral toxicity	LD50	316 mg/kg	Bird		
27565-41-9	1,4-dimercaptobutane-2,3-diol (P1: product 1)					
	Acute oral toxicity	LD50	400 mg/kg	Rat.		Merck
6381-92-6	Disodium edetate dihydrate (P2-5: product 2-5)					
	Acute oral toxicity	LD50	2050 mg/kg	Mouse.		JJP (1956) p126
68391-01-5	Alkyldimethylbenzylammoniumchloride (P6: product 6)					
	Acute oral toxicity	LD50	240 mg/kg	Rat.		GESTIS
	Acute dermal toxicity	LD50	1420 mg/kg	Rat.		CHEMID

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Irritation and corrosivity

Irritant effect on the eye: Not an irritant. Irritant effect on the skin: Not an irritant.

Sensitizing effects

Alkyldimethylbenzylammoniumchloride (P6: product 6):

There is Evidence for: Sensitization

Disodium edetate dihydrate (P2-5: product 2-5):

no danger of sensitization.

Severe effects after repeated or prolonged exposure

Alkyldimethylbenzylammoniumchloride (P6: product 6):

Developmental toxicity/teratogenicity/Reproductive toxicity:

NOAEL (Rat.oral.) = 50 mg/ kg [J Am Coll Toxicol 8 (4): 589-625 (1989)]

NOAEL (Rat.dermal.) = 10 mg/kg (90d) [BIBRA Information Department]

Disodium edetate dihydrate (P2-5: product 2-5):

Subchronic oral toxicity (90d): NOAEL = 500 mg/kg (Rat.) [ECHA]

Carcinogenic/mutagenic/toxic effects for reproduction

Alkyldimethylbenzylammoniumchloride (P6: product 6):

There is Evidence for: In-vitro mutagenicity

Disodium edetate dihydrate (P2-5: product 2-5):

No experimental indications of mutagenicity in-vitro exist.

SECTION 12: Ecological information



according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 6 of 8

Toxicity

CAS No.	Chemical name					
	Aquatic toxicity	Method	Dose	Species	h	Source
27565-41-9	1,4-dimercaptobutane-2,3-diol (P1: product 1)					
	Acute crustacea toxicity	EC50	27 mg/l		48	Gestis
6381-92-6	Disodium edetate dihydrate (P2-5: product 2-5)					
	Acute fish toxicity	LC50	41-532 mg/l	Lepomis macrochirus	96	ECHA (64-02-8)
	Acute crustacea toxicity	EC50	113 mg/l	Daphnia magna	48	Gestis (64-02-8)
68391-01-5	Alkyldimethylbenzylammoniumchloride (P6: product 6)					
	Acute fish toxicity	LC50	0,31 - 1,25		96	GESTIS
	Acute algae toxicity	ErC50	0,05 - 0,54		72	GESTIS
	Acute crustacea toxicity	EC50	0,01 - 0,16		48	GESTIS

Persistence and degradability

Disodium edetate dihydrate (P2-5: product 2-5):

55% (20 d) Guideline: PN-88/C-05561; Parameter: COD

Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No.	Chemical name	Log Pow
6381-92-6	Disodium edetate dihydrate (P2-5: product 2-5)	3,86

Mobility in soil

No data available

Results of PBT and vPvB assessment

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Advice on disposal

Waste disposal according to official state regulations. Consult the local waste disposal expert about waste disposal.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Cleaned containers may be recycled.



according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 7 of 8

SECTION 14: Transport information

Land transport (ADR/RID)

UN number: Not restricted
UN proper shipping name: Not restricted

Inland waterways transport

UN number: Not restricted
UN proper shipping name: Not restricted

Marine transport

UN number:Not restrictedUN proper shipping name:Not restrictedOther applicable information (marine transport)

Not restricted

Air transport

Other applicable information (air transport)

Not restricted

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): - - not water contaminating

SECTION 16: Other information

Changes

16.01.2012 Rev.1.0

Full text of R-phrases referred to under sections 2 and 3

21/22 Harmful in contact with skin and if swallowed.
22 Harmful if swallowed.
34 Causes burns.
36/37/38 Irritating to eyes, respiratory system and skin.
38 Irritating to skin.
41 Risk of serious damage to eyes.
50 Very toxic to aquatic organisms.

Full text of H-Statements referred to under sections 2 and 3

Harmful if swallowed. H302 Harmful in contact with skin. H312 H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid



according to Regulation (EC) No. 1907/2006

CheckLite AT100

Print date: 23.02.2012 Product code: 1002655 Page 8 of 8

for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)