



Prepared date: 01 October 2015
Revised date : 18 November 2020

Safety Data Sheet

[1] PRODUCT AND COMPANY INFORMATION

Product name Egg (Ovalbumin) ELISA Kit II
Casein ELISA Kit II
Beta-lactoglobulin ELISA Kit II
Wheat/Gluten (Gliadin) ELISA Kit II
Peanut ELISA Kit II
Buckwheat ELISA Kit II
Soya ELISA Kit II
Hazelnut ELISA Kit II
High Sensitive Peanut ELISA Kit II
Sesame ELISA Kit II

Manufacturer's name Morinaga Institute of Biological Science, Inc.
Address 2-1-16 Sachiura, Kanazawa-ku Yokohama 236-0003 Japan
Section Quality assurance department
Telephone +81-45-791-7673
Fax +81-45-791-7675
SDS No. GHS-SF-11

[2] HAZARDS IDENTIFICATION

kit contains mixtures of hazardous and non-hazardous substances. Below are materials identified as potentially hazardous.

(1) Sodium lauryl sulfate, water

Human health hazard

Serious eye damage ·
Eye irritation : Category 2B

Specific target organ
systemic toxicity : Category 3

Specific target organ
systemic toxicity : Category 2

(repeated exposure)

Environmental hazard

Hazardous to the
aquatic environment : Category 3

(acute hazard)

Pictogram or symbol



Signal word : danger

Hazard statement : Causes serious eyes irritation.
May cause respiratory irritation
May cause damage to organs(kidney) through prolonged or repeated exposure.
Harmful to an aquatic life.

Cautions

Safety measures : Wear appropriate protective gloves, glasses, clothing, face shield, or mask.

: Wash protective equipment thoroughly after use.

First-aid measures : If in eyes: Rinse cautiously with water for several minutes.

Get medical treatment


: If on skins: Remove contaminated clothing and the substance.

Rinse cautiously with water. Immediately get medical treatment.

(2) Sodium sulfite, water

Human health hazard

Serious eye damage ·
Eye irritation : Category 2B

| | |
|---------------------|--|
| Pictogram or symbol |  |
| Signal word | : Warning |
| Hazard statement | : Causes serious eyes irritation. |
| Cautions | |
| First-aid measures | : If in eyes: Rinse cautiously with water for several minutes. Get medical treatment Wash hands thoroughly after handling. |

(3) Sulfuric acid

| | |
|---|---------------|
| Human health hazard | |
| Skin corrosion • Irritation | : Category 1A |
| Serious eye damage • Eye irritation | : Category 1 |
| Specific target organ systemic toxicity (single exposure) | : Category 1 |
| Specific target organ systemic toxicity (repeated exposure) | : Category 1 |
| Pictogram or symbol | |



| | |
|--------------------|--|
| Signal word | : Danger |
| Hazard statement | : Causes severe skin burns and eye damage. : Causes serious eye damage. : Causes damage to organs (respiratory organs) : Cause damage to organs (respiratory organs) through prolonged or repeated exposure. |
| Cautions | |
| Safety measures | : Do not breathe dust, mist, and vapor. : Do not eat, drink, or smoke when using this product. : Wear appropriate protective gloves, glasses, clothing, face shield, or mask. : Wash protective equipment thoroughly after use. |
| First-aid measures | : If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. : If swallowed: Rinse mouth, do not induce vomiting. Immediately get medical treatment. If in eyes: Rinse cautiously with water for several minutes. Get medical treatment : If on skins: Remove contaminated clothing and the substance. Rinse cautiously with water. Immediately get medical treatment. : Wash hands thoroughly after use. |

(3) COMPOSITION/INFORMATION ON INGREDIENTS**(1) Sodium lauryl sulfate, water**

| | |
|----------------------------------|---|
| Substance/Mixture | : Substance |
| Chemical name or commercial name | : Sodium n-dodecyl sulfate |
| Synonyms | : Sodium lauryl sulfate |
| Ingredients and composition | : Sodium lauryl sulfate, water solution. The content is not disclosed |
| Formula | : $\text{CH}_3(\text{CH}_2)_{10}\text{CH}_2\text{OSO}_3\text{Na}$ |
| CAS-No. | : 151-21-3 |
| TSCA Inventory | : Registered |
| EINECS | : 2057881 |

- (2) Sodium sulfite, water
 Substance/Mixture : Substance
 Chemical name or commercial name : Sodium sulfite, water
 Ingredients and composition : Sodium sulfite, water solution. The content is not disclosed
 Formula : Na₂SO₃
 CAS-No. : 7757-83-7
 TSCA Inventory : Registered
 EINECS : 2318214
- (3) Sulfuric acid
 Substance/Mixture : Substance
 Chemical name or commercial name : Sulfuric acid
 Ingredients and composition : Water solution contains 0.5mol/L sulfuric acid.
 Formula : H₂SO₄
 CAS-No. : 7664-93-9
 TSCA Inventory : Registered
 EINECS : 2316395
 Dangerous and hazardous ingredients : sulfuric acid

[4] FIRST AID MEASURES

- (1) Sodium lauryl sulfate, water
 (2) Sodium sulfite, water
 Inhalation : Remove the victim to fresh air. Blow nose and gargle
 Skin contact : Wash the affected areas under running water.
 Eye contact : Wash the affected areas under running water.
 Ingestion : Give the victim one or two glasses of water or saline and induce vomiting. Get medical treatment.
- (3) Sulfuric acid
 Inhalation : Remove the victim to fresh air, and keep him warm.
 Skin contact : Wash the affected areas under running water.
 Eye contact : Wash the affected areas under running water.
 Ingestion : Give the victim one or two glasses of water or milk with egg white. Do not induce vomiting. Get medical treatment.
 Anticipated acute and delayed symptoms. : If inhaled sulfuric acid mist, cause throat ache, cough, and shortness of breath.
 : If contacted skin, cause redness, ache, blister, and burn.

[5] FIRE-FIGHTING MEASURES

- Extinguishing media : This product is noncombustible.
 Prohibited extinguishing media : None
 Particular fire fighting : Move containers from fire area if it can be done without risk, if not possible, apply water from a safe distance to cool and protect surrounding area.
 Protection for firefighters : Firefighters should wear protective equipment.

[6] ACCIDENTAL RELEASE MEASURES

- (1) Sodium lauryl sulfate, water
 (2) Sodium sulfite, water
 Cautions for personnel : Wear proper equipment and avoid contact with skin and inhalation of vapor.
 Cautions for environmental : Attention should be given not to cause damage to the environment by flowing of spillage to rivers.
 : In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater.
 Removal measures : Absorb spill with paper or cloth.
 : Wash thoroughly with water
- (3) Sulfuric acid
 Cautions for personnel : Wear proper equipment and avoid contact with skin and inhalation of vapor.

| | |
|-------------------------------|---|
| Cautions for environmental | : Attention should be given not to cause damage to the environment by flowing of spillage to rivers. |
| | : In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. |
| Removal measures | : Absorb spill with paper or cloth. |
| | : Wash thoroughly with water |
| Prevention of second accident | : Do not contact with organic substances or combustible substances. |

【7】 HANDLING AND STORAGE

Handling

| | |
|------------------------------|--|
| Engineering measures | : Wear proper protective equipment not to contact with skin or |
| | : Handle not to generate aerosol or vapor. |
| Cautions for safety handling | : Use with an enclosed system or a local exhaust ventilation |

Storage

| | |
|-------------------------------------|---|
| Adequate storage condition | : Store in a dark, cool place and tightly closed. |
| Safety adequate container materials | : Glass, polyethylene, polypropylene |

【8】 EXPOSURE CONTROL/PERSONAL PROTECTION

(1) Sodium lauryl sulfate, water

(2) Sodium sulfite, water

| | |
|----------------------|---|
| Engineering measures | : Use only with adequate ventilation and in closed systems. |
|----------------------|---|

Control parameters

| | |
|-------------|------------------|
| ACGIH(2009) | : Not applicable |
|-------------|------------------|

Protective equipment

| | |
|----------------------------------|--------------------------------|
| Respiration protective equipment | : Not necessary |
| Hands protective equipment | : Impervious protective gloves |
| Eyes protective equipment | : Safety goggles |

(3) Sulfuric acid

| | |
|----------------------|---|
| Engineering measures | : Use only with adequate ventilation and in closed systems. |
|----------------------|---|

Control parameters

| | |
|-------------|----------------------------------|
| ACGIH(2009) | : 0.2mg/m ³ (TLV-TWA) |
|-------------|----------------------------------|

Protective equipment

| | |
|----------------------------------|---|
| Respiration protective equipment | : If necessary, wear a chemical cartridge respirator with acidic grass. |
| Hands protective equipment | : Impervious protective gloves |
| Eyes protective equipment | : Safety goggles |

【9】 PHYSICAL AND CHEMICAL PROPERTIES

(1) Sodium lauryl sulfate, water

| | |
|------------------|-------------------------|
| Appearance | : Liquid |
| Colour | : Colourless |
| Odor | : Odorless |
| pH | : 7.0-9.0 |
| Boiling point | : Not Available |
| Melting point | : Not Available |
| Flash point | : Noncombustible |
| Specific gravity | : Approx. 1.0 g/mL |
| Solubility | : Water: Freely soluble |

(2) Sodium sulfite, water

| | |
|------------------|-------------------------|
| Appearance | : Liquid |
| Colour | : Colourless |
| Odor | : Odorless |
| pH | : 9.0-11.0 |
| Boiling point | : Not Available |
| Melting point | : Not Available |
| Flash point | : Noncombustible |
| Specific gravity | : Approx. 1.1 g/mL |
| Solubility | : Water: Freely soluble |

(3) Sulfuric acid

| | |
|------------|--------------|
| Appearance | : Liquid |
| Colour | : Colourless |

| | |
|------------------|-------------------------|
| Odor | : Odorless |
| pH | : Strong acidity |
| Boiling point | : Approx. 100°C |
| Melting point | : Approx. -2°C |
| Flash point | : Noncombustible |
| vapor density | : 3.4 |
| Specific gravity | : 1.030g/ml (20°C) |
| Solubility | : Water: Freely soluble |

【10】 STABILITY AND REACTIVITY

(1) Sodium lauryl sulfate, water

| | |
|----------------------------------|---|
| Stability | : Stable under normal usage |
| Reactivity | : May react with strong oxidizing substances. |
| Incompatible conditions | : Light, heat |
| Incompatible materials | : Oxidizing substances |
| Hazardous decomposition products | : Toxic fumes of sulfur oxides (Sox), carbon monoxide |

(2) Sodium sulfite, water

| | |
|-------------------------|-----------------------------|
| Stability | : Stable under normal usage |
| Reactivity | : oxidized gradually in air |
| Incompatible conditions | : Light, heat |
| Incompatible materials | : Oxidizing substances |
| Hazardous decomposition | : Sulfur oxides |

(3) Sulfuric acid

| | |
|----------------------------------|---------------------------------------|
| Stability | : Stable under normal usage |
| Reactivity | : May react with alkaline substances. |
| Incompatible conditions | : Light, heat |
| Incompatible material | : Alkaline substances |
| Hazardous decomposition products | : Sulfur oxides |

【11】 TOXICOLOGICAL INFORMATION

(1) Sodium lauryl sulfate, water

| | |
|--|--|
| Acute toxicity, Oral | Out of category |
| Acute toxicity, Dermal | Out of category |
| Inhalation (gas) | : Not possible to classify because of insufficient data |
| Inhalation (dust, mist) | : Not possible to classify because of insufficient data |
| | : If swallowed, may cause nausea, vomiting, abdominal pain. |
| | Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) |
| | Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) |
| Skin corrosiveness | : Out of category |
| Irritation to skin, eyes | : Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. |
| Respiratory sensitization or skin sensitization | |
| Respiratory sensitization | : Not possible to classify because of insufficient data |
| Skin sensitization | : Not possible to classify because of insufficient data |
| Mutagenicity | : Out of category |
| Carcinogenic effects | : Not possible to classify because of insufficient data |
| Effects on the reproductive system | : Not possible to classify because of insufficient data |
| Specific target organ systemic toxicity(Single exposure) | : Causes stimulation to respiratory organs.(Category 3) Based on descriptions that respiratory tract irritation is seen by aerosol exposure in a mouse, a rabbit, and a guinea pig and that respiratory tract irritation is seen by short term exposure, it was classified into category 3. |
| Specific target organ systemic toxicity(repeated exposure) | : May cause damage to organs(kidney) through prolonged or repeated exposure(category 2) |

| | |
|--|---|
| | It is written that there were vacuolar degeneration of kidney tubular epithelial cells, and atrophy of kidney glomerulus. Since these symptoms were found within the scope of the guidance value of Category 2, it was classified into category 2(kidney). |
| Aspiration hazard | : Not possible to classify because of insufficient data |
| (2) Sodium sulfite, water | |
| Acute toxicity, Oral | Out of category |
| Acute toxicity, Dermal | Not possible to classify because of insufficient data |
| Inhalation (gas) | : Not possible to classify because of insufficient data |
| Inhalation (dust, mist) | : Not possible to classify because of insufficient data (as Sodium sulfite) |
| | Rat oral LD50=3560mg/kg |
| Skin corrosiveness | : Out of category |
| Irritation to skin, eyes | : Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. |
| Respiratory sensitization or skin sensitization | |
| Respiratory sensitization | : Not possible to classify because of insufficient data |
| Skin sensitization | : Not possible to classify because of insufficient data |
| Mutagenicity | : Out of category |
| Carcinogenic effects | : Not possible to classify because of insufficient data |
| Effects on the reproductive system | : Not possible to classify because of insufficient data |
| Specific target organ systemic toxicity(Single exposure) | : Not possible to classify because of insufficient data Sulfite salt is oxidized and is converted to sulfate ion inside bodies, but digestive organs are irritated because of isolated sulfite ion. If human swallowed 4g of the substance, they have poisoning digestive organs. However, it is not possible to classify because of insufficient data |
| Specific target organ systemic toxicity(repeated exposure) | : Not possible to classify because of insufficient data |
| Aspiration hazard | : Not possible to classify because of insufficient data |
| (3) Sulfuric acid | |
| Acute toxicity, Oral | Out of category |
| Acute toxicity, Dermal | Not possible to classify because of insufficient data |
| Inhalation (vapor) | : Not possible to classify because of insufficient data |
| Inhalation (dust, mist) | : Out of category |
| | Rat oral LD50=44580mg/kg (as calculated value) |
| | Rat inhalation LC50=7230ppm/l/4H (as calculated value) |
| Skin corrosiveness | : Causes severe skin burns. (Category 1A) |
| Irritation to skin, eyes | : Causes serious eye damage. (Category 1) In case of human accident of sulfuric acid, severe eye |
| Respiratory sensitization or skin sensitization | |
| Respiratory sensitization | : Not possible to classify because of insufficient data |
| Skin sensitization | : Out of category Sulfuric acid has no human skin sensitization. |
| Mutagenicity | : Not possible to classify because of insufficient data |
| Carcinogenic effects | : Not possible to classify because of insufficient data |
| Effects on the reproductive system | : Out of category |
| Specific target organ systemic toxicity(Single exposure) | : Cause damage to organs (respiratory organs) (category 1) |
| Specific target organ systemic toxicity(repeated exposure) | : Cause damage to organs (respiratory organs) through prolonged or repeated exposure. (category 1) |
| Aspiration hazard | : Not possible to classify because of insufficient data |

【12】 ECOLOGICAL INFORMATION

(1) Sodium lauryl sulfate, water

Ecotoxicity

Fish toxicity

Acute aquatic toxicity : Category3 American Lobster LC50=0.72mg/L/96H

Chronic aquatic toxicity : Not possible to classify because of insufficient data

(2) Sodium sulfite, water

(3) Sulfuric acid

Ecotoxicity

Fish toxicity

Acute aquatic toxicity : Not possible to classify because of insufficient data

Chronic aquatic toxicity : Not possible to classify because of insufficient data

【13】 DISPOSAL CONSIDERATIONS

(1) Sodium lauryl sulfate, water

(2) Sodium sulfite, water

Residual disposal

: Dilute with copious water and adjust the pH of the solution,
: after flush in drains.

: Or entrust approved waste disposal companies with the disposal

Containers

: In case of disposal of empty bottles, dispose bottles after
: removing the content thoroughly.

(3) Sulfuric acid

Residual disposal

: Add the chemical gradually in alkaline water solution like

: calcium hydroxide, sodium carbonate to neutralized and flush

: Or entrust approved waste disposal companies with the disposal

Containers

: In case of disposal of empty bottles, dispose bottles after
: removing the content thoroughly.**【14】 TRANSPORT INFORMATION**

UN class

: Not applicable

UN-Number:

: Not applicable

【15】 REGULATORY INFORMATION

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

【16】 OTHER INFORMATION

References

: Encyclopaedia Chemica, Kyoritsu Shuppan Co., Ltd.

The information contained herein is based on several references and the present state of our knowledge. However, the MSDS does not always cover all information about the product, handle the product carefully. The information is intended to ordinary usage, in case of particular handlings, conduct appropriate safety measurements. The information herein is only provision of information , and it does not represent a guarantee the properties of the product